



Shows entertain with cookout

Mr. and Mrs. Jimmy Shaw entertained with a cookout Wednesday, June 24, at their home on Callaway Drive. Those attending were Mr. and Mrs. Paul Smith of Lexington, Mr. and Mrs. Youse Shaw, Mr. and Mrs. Teddy Shaw, Mrs. Beulah Cannon, and Lisa, Tracy and Jimmy Jr. Shaw.

Luau enjoyed by friends

Mr. and Mrs. Clarence Colif entertained friends and relatives with a Luau, Saturday, June 27 at their home on North Street.

The out-of-town guests were Mr. and Mrs. W.K. Buntin Jr., Frankfort; Mr. and Mrs. Bill Buntin, Lexington; Mr. and Mrs. J.W. Soper, Mr. and Mrs. Charles Hopkins, Mr. and Mrs. Jack Berman, Bourbon County, Mrs. Russell Hoy, Bath County, and Mr. and Mrs. Billy Getz, Fleming County.

Couple is wed June 5

Mr. and Mrs. Clarence Colif entertained friends and relatives with a Luau, Saturday, June 27 at their home on North Street.

Rev. Hal Gibson performed the ceremony at the post lock. The junior attendant was Paula Bach of Carlisle, sister of the bride. The reception was held at the Church Fellowship Hall. Those serving were Darlene Buckler and Ann Brierley of Carlisle, sisters of the bride, and Cindy Willis of Lexington, sister-in-law of the groom. After a wedding trip to Myrtle Beach, S.C., the couple is residing in Paris, Ky.

Two students on Dean's List

Two local students were honored earlier this week when the various colleges of the University of Kentucky announced their Dean's List for the 1981 spring semester. Those Nicholas County residents named were William Ashbury, Route 3, who is an Agriculture major, and Sarah Hughes, also of Route 3, who liberates majors in Agriculture.

Attend wedding reception June 5

Those attending the reception following the wedding of Mrs. Gladys Duncan Russell and Wayne Morris June 5 at the home of Mrs. Gladys Duncan were: Mr. and Mrs. Maurice Morris, Mrs. Junior Patterson and family, Mr. and Mrs. Charlie Struge and family, Mrs. Bill Doherty and family, Mr. and Mrs. Donnie Owens and family, Mr. and Mrs. Ed Beasley and Mr. and Mrs. Terry Powell, all of Louisville. Mr. and Mrs. Fred and David Card, Mr. and Mrs. Jim Reed and Timmy, Mr. and Mrs. Everett Cord and Chris, and Miss Lois Hill, all of Lexington; Mrs. Everett D. Bussell, Mrs. Carolyn Hunt, Rejean and Robin, Mrs. Charles Crump and Camille, and Mrs. Carl Guy and Pat Guy, Miss Mary Spurgin, Mr. and Mrs. Bobby Duncan, Margaret and Jody, all of Nicholas County.

Eysters honored

Members of the Carlisle Presbyterian Church honored Mr. and Mrs. Bert Eyster with a potluck dinner after last Sunday morning's services. Mr. Eyster has returned from his minister for four years. Pictured is Mrs. Eyster with one of the gifts they received. — Mercury photo.

Local Lerman Bros has new managers

Mr. and Mrs. Raymond Rice assumed management of Lerman Bros. after Friday, June 27, having retired from the post after 1978. Mr. Rice has been with Lerman's for 24 years, 12 years with the Carlisle store and Mrs. Rice has been associated with Lerman's for 15 years.

Shaker Festival is in South Union

South Union in western Kentucky will be a visitor in Carlisle on Saturday, June 27, at the Shaker Festival. The festival is held at the home of the bride's mother on the Old Paris Pike following the ceremony. Mrs. Evert Cord of Lexington attended the reception. Mrs. Jim Reed of Lexington and Max Pat Guy served at the guest register.

Births

Mr. and Mrs. Stephen Curtinger announce the birth of their first child, a daughter, Sarah Ashley, June 25, 1981 at the Harrison Memorial Hospital. Maternal grandparents are Col. and Mrs. Gerald S. Griffith. Paternal grandparents are Mr. and Mrs. Garvey L. Curtinger. Maternal great-grandmother is Mrs. Hibel Aubrey.

Central Ky. Night at Boone Legend offers ticket savings

On Friday, July 3, the Legend of Daniel Boone is proud to feature Central Kentucky Night. Officially scheduled for June 18, it was cancelled due to rain. For this special performance, anyone holding a valid ticket for the June 18 performance in central Kentucky will receive a substantial saving. The cost of tickets is \$2 of the regular \$4 price, or \$4. Children's tickets are \$1.50 off the regular \$3 price, or \$2. The included are Mercer, Boyle, Garrard, Scott, Franklin, Anderson, Woodford, Nicholas, Jessamine, Marion, Lincoln, Washington and Hartwood.

Oral History is KET topic

To commemorate the 1000th anniversary in the University of Kentucky Oral History Program, the University of Kentucky Office of Instructional Resources presents "Listen To Kentucky With Dr. Thomas D. Clark." In a series of three, half-hour interviews with Dr. Thomas D. Clark, the program captures for posterity the recollections of one of Kentucky's most renowned and prolific historians. "Listen To Kentucky With Dr. Thomas D. Clark" premieres on KET Wednesday, July 8 at 6:30 p.m. (ET), 5:30 p.m. (CT).


Wedding Flowers

By Carol n John's Florist FREE Consultation Call Mary Ruth, 289-2717, for appointment 114 Locust St. Come see us! Carlisle, Ky.



Grandson of Moo-Moo

As Rep. Adrian Arnold and Roger Vice, son of Mr. and Mrs. Steve Vice, looked on, this year's Grandson of Moo-Moo was announced at last week's Dairy Night program at the elementary school. Pictured with his grandmother, Mrs. Emma Clinkenbeard, is Grandson of Moo-Moo John Watkins, son of Mr. and Mrs. Charles Watkins. — Mercury photo.



Eysters honored

Members of the Carlisle Presbyterian Church honored Mr. and Mrs. Bert Eyster with a potluck dinner after last Sunday morning's services. Mr. Eyster has returned from his minister for four years. Pictured is Mrs. Eyster with one of the gifts they received. — Mercury photo.

Personals

The out-of-town guests attending the wedding of Chynghy Cropper and Gregory Keith Rose on Saturday, June 27, at the Shannon United Methodist Church were Mr. and Mrs. Wilson Bailey of Hopkinsville, Dr. and Mrs. Stephen Bailey of Louisville and Angie Cassidy of Lexington. Also attending were Mrs. Robert Vice, Mrs. James Cassidy, Mr. and Mrs. Charles Rose, Chris and Tim Rose, Stanley Rose, Jeff and Phyllis Rose, Beverly Moyer and Sila Carl. Mr. and Mrs. Warren Fisher at his daughter Opal and Shirley have returned from a three-weeks vacation in Miami, Fla. with their daughter Beth and grandchildren Kristina and Terra and their son Clay and his family. They were accompanied by Wayne and Raymond Baker and Kenneth Brumley. Gatewood Galbraith of Lexington was a visitor in Carlisle on Saturday, June 27, at the Shaker Festival. The festival is held at the home of the bride's mother on the Old Paris Pike following the ceremony. Mrs. Evert Cord of Lexington attended the reception. Mrs. Jim Reed of Lexington and Max Pat Guy served at the guest register.

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."


Severe weather damages high

More than 1.5 million acres of Kentucky crop lands have been damaged by severe weather conditions this season, according to state Energy and Agriculture Secretary William Shurgill. The damage in crops alone totals \$150 million with another \$100 million lost due to erosion to top soil and leaching of valuable chemicals and fertilizers, he said in an announcement June 22. Kentucky's hardest hit areas were along the Green River in Western Kentucky, said Shurgill. Damage in Daviess, Henderson, Union and Webster counties reached more than \$25 million, according to the county extension boards. Shurgill pledged the full support of the Brown Administration to help Kentucky farmers with weather-related problems. Gov. John Y. Brown Jr. is urging that federal emergency loans be granted as quickly as possible to the farmers.

July Clearance Sale

Mens Suits & Sportcoats 25% - 60% off Dress Slacks 25% off Dress Shirts & Ties 25% off Sport & Knit Shirts 35% off Shorts & Swimtrunks 35% off Casual Slacks \$20. to \$25. 7.95 retail Dress & Sport Shoes 20% - 35% off Western & Dress Straw Hats 50% off Ladies Blazers 25% off Ladies Skirts & Slacks 25% off Ladies Dresses 35% off Ladies Blouses 35% off Ladies Sweaters 25% off Ladies Knit Tops 35% off Ladies All Weather Coats 35% off Ladies Shorts 25% off Ladies All Weather Coats 25% off

Carter's of Carlisle Phone 289-5126



Severe weather damages high

More than 1.5 million acres of Kentucky crop lands have been damaged by severe weather conditions this season, according to state Energy and Agriculture Secretary William Shurgill. The damage in crops alone totals \$150 million with another \$100 million lost due to erosion to top soil and leaching of valuable chemicals and fertilizers, he said in an announcement June 22. Kentucky's hardest hit areas were along the Green River in Western Kentucky, said Shurgill. Damage in Daviess, Henderson, Union and Webster counties reached more than \$25 million, according to the county extension boards. Shurgill pledged the full support of the Brown Administration to help Kentucky farmers with weather-related problems. Gov. John Y. Brown Jr. is urging that federal emergency loans be granted as quickly as possible to the farmers.



Severe weather damages high

More than 1.5 million acres of Kentucky crop lands have been damaged by severe weather conditions this season, according to state Energy and Agriculture Secretary William Shurgill. The damage in crops alone totals \$150 million with another \$100 million lost due to erosion to top soil and leaching of valuable chemicals and fertilizers, he said in an announcement June 22. Kentucky's hardest hit areas were along the Green River in Western Kentucky, said Shurgill. Damage in Daviess, Henderson, Union and Webster counties reached more than \$25 million, according to the county extension boards. Shurgill pledged the full support of the Brown Administration to help Kentucky farmers with weather-related problems. Gov. John Y. Brown Jr. is urging that federal emergency loans be granted as quickly as possible to the farmers.

Ice cream check

Rev. David Stancil received a check from Mrs. Betsy Vice last Thursday night in behalf of the Nicholas County Dairy Association. The check was presented to Rev. Stancil and the local National Association to buy ice cream for children at Vacation Bible Schools in the county. Looking on above is Mrs. Bernice McClanahan. — Mercury photo.

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."



Severe weather damages high

More than 1.5 million acres of Kentucky crop lands have been damaged by severe weather conditions this season, according to state Energy and Agriculture Secretary William Shurgill. The damage in crops alone totals \$150 million with another \$100 million lost due to erosion to top soil and leaching of valuable chemicals and fertilizers, he said in an announcement June 22. Kentucky's hardest hit areas were along the Green River in Western Kentucky, said Shurgill. Damage in Daviess, Henderson, Union and Webster counties reached more than \$25 million, according to the county extension boards. Shurgill pledged the full support of the Brown Administration to help Kentucky farmers with weather-related problems. Gov. John Y. Brown Jr. is urging that federal emergency loans be granted as quickly as possible to the farmers.



Severe weather damages high

More than 1.5 million acres of Kentucky crop lands have been damaged by severe weather conditions this season, according to state Energy and Agriculture Secretary William Shurgill. The damage in crops alone totals \$150 million with another \$100 million lost due to erosion to top soil and leaching of valuable chemicals and fertilizers, he said in an announcement June 22. Kentucky's hardest hit areas were along the Green River in Western Kentucky, said Shurgill. Damage in Daviess, Henderson, Union and Webster counties reached more than \$25 million, according to the county extension boards. Shurgill pledged the full support of the Brown Administration to help Kentucky farmers with weather-related problems. Gov. John Y. Brown Jr. is urging that federal emergency loans be granted as quickly as possible to the farmers.

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."

Celebrate the 4th! at the Dairy Queen

20¢ Off our Regular Price on Shakes & Sundaes Friday & Saturday July 3 & 4 Only

*Extra Thick Nuts, Hot Fudge & Malts still 10¢ extra

We Treat You Right

Hopkins Drug Co.

Your Prescription our speciality

Kodak film Flash Cubes Cameras

4th of July Developing Specials!

12 Exposures . . . \$2.29 20 Exposures . . . \$3.29 24 Exposures . . . \$3.79

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."

Four from Nicholas attend 4-H Week at University

Four young people from Nicholas County spent the week at the University of Kentucky during Kentucky 4-H Week. Attending for the entire week's activities were Kevin Zachary, Woodlee Buzzard, Suzanne Jones and Barbara Payne.

Miss Bach weds Mr. Willis June 12

Mary Evelyn Bach, daughter of Mr. and Mrs. J. T. Bach of Carlisle, and Norman Douglas Willis, son of Mr. and Mrs. Norman Willis of Carlisle, were married Friday, June 12, at the Carlisle United Methodist Church with the Rev. Robert W. Gipson officiating. The matron of honor was Karen Fryman of Carlisle, sister of the bride. The bridesmaids were Barbara Bach of Carlisle and Jennifer Mitchell of Bechtel, sister of the bride. The flower girl was Kimberly Buckler of Carlisle, niece of the bride.

Local Lerman Bros has new managers

Mr. and Mrs. Raymond Rice assumed management of Lerman Bros. after Friday, June 27, having retired from the post after 1978. Mr. Rice has been with Lerman's for 24 years, 12 years with the Carlisle store and Mrs. Rice has been associated with Lerman's for 15 years.

Shaker Festival is in South Union

South Union in western Kentucky will be a visitor in Carlisle on Saturday, June 27, at the Shaker Festival. The festival is held at the home of the bride's mother on the Old Paris Pike following the ceremony. Mrs. Evert Cord of Lexington attended the reception. Mrs. Jim Reed of Lexington and Max Pat Guy served at the guest register.

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half urea and they may experience half the nitrogen loss with this fertilizer. If nitrogen with urea is cheaper per pound than other sources, this loss is negligible. If not, farmers should buy ammonium nitrate."

Topdressing soil can prevent nitrogen loss

Soils fertilized with nitrogen at or before planting time may "run out of gas" later in the season. In order to ensure sufficient nitrogen levels, farmers should consider topdressing the soil four to six weeks after planting their corn. The most common nitrogen sources, anhydrous ammonia, ammonium nitrate, urea and liquid nitrogen, are equally effective once incorporated into the soil, according to Dr. Lloyd Murdock, Extension soils specialist at the University of Kentucky College of Agriculture Research and Education Center in Princeton. "Some fertilizers, especially urea, can lose nitrogen when applied on bare ground," he said. He explains that the nitrogen is lost to the air (volatilization) in a form which smells like household ammonia. Up to five percent of the nitrogen can be lost under these conditions. On soils with a pH higher than seven, the loss can be greater. According to Murdock, choosing fertilizers and topdressing is a matter of economics: "Farmers must realize that liquid nitrogen one-half ure